

INSTITUTE OF JUDICIAL ADMINISTRATION - LUSHOTO
DEPARTMENT OF JUDICIAL AND LEGAL STUDIES -JLS
Overall Detailed of Results

NTA Level: 4 - Field of study: Law

Key:

JLT04101 - Basic Records Management I

JLT04102 - Introduction to Civil Procedure

JLT04103 - Introduction to Criminal Procedure

JLT04104 - Basic Communication Skills I

JLT04107 - Introduction to Criminal Law

JLT04109 - Introduction to Law of Evidence

JLT04111 - Introduction to Legal Systems and Constitutional Law

CA - Course Assessment, SE - Semester Examination, TS - Total Score, GR - Grade, GPA - Grade Point Average

Year of Study: 2016 / 2017 Semester: I Weight : CA 50% SE 50%

PASS: 87 SUPPL: - POSTPONED: - DISCO: 7

Mo		8				10				8				9				8				9				8				Semester G.P.A	Remarks		
Mo		JLT04101				JLT04102				JLT04103				JLT04104				JLT04107				JLT04109				JLT04111							
		CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			CA	SE
S/N	Exam Number																																
1	E.16401	39.5	42.0	82	A	34.5	30.0	65	B	22.0	31.0	53	C	27.5	26.5	54	C	0.0	50.0	50	C	25.0	29.5	55	C	0.0	50.0	50	C	2.4	PASS		
2	E.16403	25.0	38.5	64	C	30.0	37.0	67	B	32.0	34.0	66	B	0.0	50.0	50	C	0.0	50.0	50	C	40.5	33.5	74	B	0.0	50.0	50	C	2.4	PASS		
3	E.16405	34.5	26.5	61	C	37.5	34.0	72	B	26.0	30.0	56	C	0.0	50.0	50	C	0.0	50.0	50	C	33.0	29.5	63	C	0.0	50.0	50	C	2.1	PASS		
4	E.16406	33.0	25.5	59	C	0.0	50.0	50	C	29.0	27.5	57	C	25.5	25.5	51	C	0.0	50.0	50	C	25.5	32.0	58	C	24.5	25.0	50	C	2.0	PASS		
5	E.16410	35.5	37.5	73	B	38.0	33.5	72	B	32.0	29.5	62	C	0.0	50.0	50	C	0.0	50.0	50	C	32.0	39.5	72	B	22.5	37.0	60	C	2.4	PASS		
6	E.16412	36.0	25.5	62	C	0.0	50.0	50	C	0.0	50.0	50	C	33.5	26.5	60	C	0.0	50.0	50	C	22.5	31.5	54	C	0.0	50.0	50	C	2.0	PASS		
7	E.16414	27.0	36.5	64	C	0.0	50.0	50	C	0.0	30.0	30	F	25.0	25.0	50	C	35.0	26.5	62	C	0.0	50.0	50	C	27.0	25.0	52	C	1.7	DISCO		
8	E.16416	40.5	35.5	76	B	37.5	40.5	78	B	29.5	37.5	67	B	28.5	26.5	55	C	0.0	50.0	50	C	31.5	41.0	73	B	27.5	33.5	61	C	2.5	PASS		
9	E.16419	28.0	36.0	64	C	28.5	36.5	65	B	0.0	50.0	50	C	35.0	30.0	65	B	36.0	25.5	62	C	41.0	33.5	75	B					2.2	SUPP(JLT04111)		
10	E.16420	27.0	32.0	59	C	26.0	29.5	56	C	22.0	33.0	55	C	44.5	27.5	72	B	30.5	29.5	60	C	31.5	26.5	58	C	34.0	32.5	67	B	2.2	PASS		
11	E.16421	26.5	26.5	53	C	30.5	36.0	67	B	0.0	50.0	50	C	27.0	25.5	53	C	0.0	50.0	50	C	25.0	31.5	57	C	0.0	50.0	50	C	2.1	PASS		
12	E.16423	37.0	37.5	75	B	0.0	50.0	50	C	34.0	26.0	60	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	2.1	PASS		
13	E.16424	37.0	36.5	74	B	0.0	50.0	50	C	31.0	39.0	70	B	25.0	31.5	57	C	27.5	26.0	54	C	30.5	40.0	71	B	28.0	34.0	62	C	2.4	PASS		
14	E.16425	32.0	36.5	69	B	39.5	34.0	74	B	37.0	25.5	63	C	25.0	27.5	53	C	30.0	38.0	68	B	26.5	36.5	63	C	0.0	50.0	50	C	2.4	PASS		
15	E.16428	26.0	31.0	57	C	25.5	31.5	57	C	29.5	26.0	56	C	0.0	50.0	50	C	27.0	27.0	54	C	29.5	33.0	63	C	36.0	25.0	61	C	2.0	PASS		

Mo		8				10				8				9				8				9				8				Semester G.P.A	Remarks		
Mo		JLT04101				JLT04102				JLT04103				JLT04104				JLT04107				JLT04109				JLT04111							
		CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			CA	SE
S/N	Exam Number																																
16	E.16429	38.0	38.0	76	B	34.0	34.5	69	B	34.0	26.0	60	C	0.0	50.0	50	C	36.5	25.0	62	C	25.5	25.0	51	C	31.5	26.5	58	C	2.3	PASS		
17	E.16431	33.0	39.5	73	B	35.0	27.0	62	C	30.0	28.5	59	C	30.5	31.5	62	C	0.0	50.0	50	C	32.0	29.5	62	C	29.5	38.0	68	B	2.2	PASS		
18	E.16432	40.0	41.5	82	A	0.0	50.0	50	C	32.5	30.5	63	C	28.0	28.0	56	C	0.0	50.0	50	C	37.0	35.0	72	B	15.0	37.0	52	C	2.4	PASS		
19	E.16435	36.0	32.0	68	B	0.0	50.0	50	C	33.0	27.0	60	C	25.5	25.0	51	C	0.0	50.0	50	C	0.0	50.0	50	C	21.5	28.0	50	C	2.1	PASS		
20	E.16437	33.5	30.0	64	C	29.5	28.5	58	C	24.5	27.0	52	C	25.0	25.5	51	C	31.0	25.0	56	C	0.0	50.0	50	C	22.0	28.0	50	C	2.0	PASS		
21	E.16442	38.0	40.5	79	B	31.0	25.0	56	C	31.5	31.5	63	C	25.0	31.0	56	C	0.0	50.0	50	C	27.5	30.0	58	C	22.5	39.0	62	C	2.1	PASS		
22	E.16444	37.0	41.0	78	B	33.5	30.0	64	C	35.5	34.5	70	B	0.0	50.0	50	C	32.5	25.0	58	C	32.5	31.5	64	C	29.0	34.5	64	C	2.2	PASS		
23	E.16445	40.0	38.5	79	B	0.0	50.0	50	C	38.5	45.5	84	A	27.0	25.0	52	C	37.5	26.0	64	C	39.5	35.0	75	B	26.5	29.0	56	C	2.5	PASS		
24	E.16447	32.5	35.0	68	B	0.0	50.0	50	C	42.0	30.5	73	B	25.0	29.5	55	C	0.0	50.0	50	C	22.5	35.0	58	C	31.5	34.0	66	B	2.4	PASS		
25	E.16448	36.5	39.0	76	B	0.0	50.0	50	C	32.0	31.5	64	C	29.0	34.5	64	C	33.5	27.0	61	C	29.5	28.5	58	C	26.0	36.0	62	C	2.1	PASS		
26	E.16449	32.0	37.5	70	B	24.0	26.0	50	C	35.0	29.0	64	C	0.0	50.0	50	C	0.0	50.0	50	C	17.5	50.0	50	C	25.0	27.0	52	C	2.1	PASS		
27	E.16450	25.5	36.0	62	C	19.5	35.0	55	C	35.0	26.0	61	C	26.0	28.0	54	C	34.0	25.0	59	C	32.5	36.0	69	B	0.0	50.0	50	C	2.1	PASS		
28	E.16455	34.0	38.0	72	B	28.5	30.5	59	C	31.5	29.0	61	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	24.5	28.0	53	C	2.1	PASS		
29	E.16456	33.5	32.0	66	B	0.0	50.0	50	C	34.0	25.0	59	C	0.0	50.0	50	C	0.0	50.0	50	C	36.0	25.0	61	C	0.0	50.0	50	C	2.1	PASS		
30	E.16457	35.5	37.0	73	B	20.5	38.5	59	C	35.5	39.5	75	B	30.5	32.0	63	C	0.0	50.0	50	C	18.5	38.5	57	C	28.0	25.5	54	C	2.2	PASS		
31	E.16458	36.0	27.0	63	C	0.0	50.0	50	C	38.0	30.5	69	B	25.0	27.5	53	C	37.5	28.5	66	B	23.0	29.5	53	C	25.0	25.5	51	C	2.2	PASS		
32	E.16460	36.5	30.0	67	B	23.5	33.5	57	C	0.0	36.0	36	F	0.0	50.0	50	C	33.5	25.5	59	C	0.0	50.0	50	C	0.0	50.0	50	C	1.8	DISCO		
33	E.16461	35.5	35.5	71	B	20.5	36.0	57	C	23.5	36.0	60	C	29.0	30.5	60	C	0.0	50.0	50	C	33.0	37.0	70	B	23.5	32.0	56	C	2.2	PASS		
34	E.16463	38.5	42.0	81	A	40.5	29.5	70	B	31.0	28.5	60	C	32.5	30.5	63	C	32.0	26.5	59	C	37.5	27.5	65	B	0.0	50.0	50	C	2.5	PASS		
35	E.16465	38.0	34.0	72	B	0.0	50.0	50	C	26.5	33.0	60	C	25.5	30.0	56	C	0.0	50.0	50	C	38.5	28.0	67	B	28.5	25.5	54	C	2.2	PASS		
36	E.16466	32.0	32.0	64	C	31.0	35.5	67	B	27.0	28.5	56	C	0.0	50.0	50	C	0.0	50.0	50	C	33.0	36.0	69	B	26.0	26.5	53	C	2.3	PASS		
37	E.16467	36.0	43.0	79	B	27.5	33.5	61	C	28.0	36.5	65	B	22.5	30.5	53	C	0.0	50.0	50	C	23.5	34.0	58	C	25.5	27.0	53	C	2.2	PASS		
38	E.16468	37.5	38.5	76	B	33.5	37.5	71	B	21.5	34.5	56	C	0.0	50.0	50	C	28.0	28.0	56	C	23.5	40.0	64	C	24.0	36.5	61	C	2.3	PASS		
39	E.16471	32.5	41.0	74	B	0.0	50.0	50	C	37.0	26.0	63	C	0.0	50.0	50	C	0.0	50.0	50	C	34.0	25.0	59	C	28.0	30.0	58	C	2.1	PASS		
40	E.16472	27.5	28.0	56	C	0.0	50.0	50	C	36.0	30.5	67	B	0.0	50.0	50	C	0.0	50.0	50	C	37.5	25.5	63	C	0.0	50.0	50	C	2.1	PASS		
41	E.16478	29.0	31.5	61	C	39.5	34.0	74	B	31.0	26.5	58	C	0.0	50.0	50	C	30.0	25.0	55	C	32.0	26.5	59	C	26.5	33.0	60	C	2.1	PASS		
42	E.16479	33.5	40.0	74	B	31.5	36.5	68	B	31.0	41.0	72	B	0.0	50.0	50	C	0.0	50.0	50	C	38.5	30.5	69	B	0.0	50.0	50	C	2.5	PASS		
43	E.16481	35.5	36.0	72	B	26.0	31.5	58	C	28.0	30.0	58	C	0.0	50.0	50	C	35.0	25.0	60	C	30.5	29.0	60	C	23.5	27.5	51	C	2.1	PASS		

Mo		8				10				8				9				8				9				8				Semester G.P.A	Remarks		
Mo		JLT04101				JLT04102				JLT04103				JLT04104				JLT04107				JLT04109				JLT04111							
		CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			CA	SE
S/N	Exam Number																																
44	E.16483	37.5	44.5	82	A	0.0	42.0	42	D	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	45.0	45	D	0.0	50.0	50	C	1.9	DISCO		
45	E.16484	34.0	37.5	72	B	37.5	39.0	77	B	29.5	39.0	69	B	35.5	29.5	65	B	35.5	25.5	61	C	25.5	36.5	62	C	0.0	50.0	50	C	2.5	PASS		
46	E.16485	37.0	30.0	67	B	0.0	26.0	26	F	24.0	33.5	58	C	25.5	26.0	52	C	28.0	25.0	53	C	0.0	50.0	50	C	0.0	50.0	50	C	1.8	DISCO		
47	E.16486	40.0	40.5	81	A	39.0	33.5	73	B	31.0	39.5	71	B	26.5	31.0	58	C	0.0	50.0	50	C	33.0	28.0	61	C	23.0	30.0	53	C	2.5	PASS		
48	E.16488	39.0	32.5	72	B	19.0	31.0	50	C	30.5	25.0	56	C	26.0	44.5	71	B	38.5	32.5	71	B	28.0	31.5	60	C	22.0	32.0	54	C	2.4	PASS		
49	E.16489	36.5	44.5	81	A	30.0	33.0	63	C	34.0	28.0	62	C	25.0	26.0	51	C	0.0	50.0	50	C	23.5	35.5	59	C	27.5	35.0	63	C	2.2	PASS		
50	E.16490	36.5	35.5	72	B	0.0	50.0	50	C	34.0	28.0	62	C	25.0	30.0	55	C	0.0	50.0	50	C	39.0	40.5	80	A	31.5	25.0	57	C	2.4	PASS		
51	E.16492	34.0	38.0	72	B	35.5	45.0	81	A	27.0	31.0	58	C	29.0	27.5	57	C	0.0	50.0	50	C	28.5	35.5	64	C	28.0	37.0	65	B	2.6	PASS		
52	E.16493	37.0	38.5	76	B	45.5	33.5	79	B	35.0	33.5	69	B	25.0	33.0	58	C	35.5	27.5	63	C	26.0	36.5	63	C	0.0	50.0	50	C	2.4	PASS		
53	E.16494	28.5	32.5	61	C	24.5	33.0	58	C	31.0	29.0	60	C	34.5	27.5	62	C	0.0	50.0	50	C	23.0	33.5	57	C	27.0	30.5	58	C	2.0	PASS		
54	E.16495	35.0	40.0	75	B	38.5	38.0	77	B				F	25.0	26.0	51	C	0.0	50.0	50	C	31.5	37.5	69	B	31.0	37.0	68	B	2.3	SPECIAL SUPP(JLT04103)		
55	E.16499	29.0	28.5	58	C	22.5	30.5	53	C	35.0	31.5	67	B	0.0	50.0	50	C	0.0	50.0	50	C	26.5	29.5	56	C	28.5	26.0	55	C	2.1	PASS		
56	E.164101	32.5	38.0	71	B	27.5	32.5	60	C	29.5	29.0	59	C	0.0	50.0	50	C	27.0	25.5	53	C	26.5	33.5	60	C	0.0	50.0	50	C	2.1	PASS		
57	E.164104	31.5	26.5	58	C	35.0	29.5	65	B	35.0	26.0	61	C	32.0	28.0	60	C	33.0	26.5	60	C	0.0	50.0	50	C	0.0	50.0	50	C	2.1	PASS		
58	E.164105	36.0	40.5	77	B	37.0	38.0	75	B	33.5	32.0	66	B	0.0	50.0	50	C	35.5	33.5	69	B	24.0	30.5	55	C	24.5	27.5	52	C	2.5	PASS		
59	E.164111	32.0	34.0	66	B	0.0	50.0	50	C	35.5	33.0	69	B	26.5	25.0	52	C	0.0	50.0	50	C	29.5	30.5	60	C	31.0	27.0	58	C	2.2	PASS		
60	E.164112	33.5	47.5	81	A	37.5	31.5	69	B	41.5	27.0	69	B	0.0	50.0	50	C	28.0	36.5	65	B	33.0	27.5	61	C	0.0	50.0	50	C	2.7	PASS		
61	E.164117	34.5	36.5	71	B	19.0	30.5	50	C	31.5	37.5	69	B	0.0	50.0	50	C	32.5	33.0	66	B	30.0	28.5	59	C	0.0	50.0	50	C	2.4	PASS		
62	E.164120	35.5	43.0	79	B	44.5	43.0	88	A	35.0	38.5	74	B	25.0	34.0	59	C	39.0	25.0	64	C	38.5	46.0	85	A	29.5	42.5	72	B	3.0	PASS		
63	E.164122	43.0	45.0	88	A	39.0	38.0	77	B	39.0	39.0	78	B	0.0	50.0	50	C	0.0	50.0	50	C	36.0	36.5	73	B	30.0	34.0	64	C	2.7	PASS		
64	E.164123	32.0	45.0	77	B	22.0	33.5	56	C			0	F	0.0	50.0	50	C	0.0	50.0	50	C	31.0	29.5	61	C	38.5	28.5	67	B	2.0	SPECIAL SUPP. (JLT04)103		
65	E.164124	36.0	31.5	68	B	0.0	26.0	26	D	24.0	27.0	51	C	26.0	27.5	54	C	0.0	50.0	50	C	0.0	21.0	21	F	24.5	30.5	55	C	1.6	DISCO		
66	E.164125	35.0	30.0	65	B	35.5	38.0	74	B	31.0	41.0	72	B	0.0	50.0	50	C	40.0	25.5	66	B	37.0	34.0	71	B	25.0	31.5	57	C	2.7	PASS		
67	E.164127	28.5	38.5	67	B	26.5	30.5	57	C	30.5	26.5	57	C	0.0	50.0	50	C	0.0	50.0	50	C	29.0	26.0	55	C	22.5	30.5	53	C	2.1	PASS		
68	E.164128	36.5	31.5	68	B	30.0	37.0	67	B	30.0	33.5	64	C	28.0	29.5	58	C	32.5	38.0	71	B	0.0	50.0	50	C	0.0	50.0	50	C	2.4	PASS		
69	E.164129	30.5	36.0	67	B	0.0	50.0	50	C	33.5	38.0	72	B	0.0	50.0	50	C	30.5	27.0	58	C	27.0	29.5	57	C	26.0	27.0	53	C	2.2	PASS		
70	E.164130	31.5	33.0	65	B	28.0	35.0	63	C	33.5	34.0	68	B	0.0	50.0	50	C	36.0	33.5	70	B	33.5	32.5	66	B	0.0	50.0	50	C	2.5	PASS		
71	E.164132	35.0	38.0	73	B	32.0	31.0	63	C	31.0	28.0	59	C	25.0	25.0	50	C	37.5	38.0	76	B	0.0	50.0	50	C	32.5	30.0	63	C	2.2	PASS		

Mo		8				10				8				9				8				9				8				Semester G.P.A	Remarks		
Mo		JLT04101				JLT04102				JLT04103				JLT04104				JLT04107				JLT04109				JLT04111							
		CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			CA	SE
S/N	Exam Number																																
72	E.164133	30.5	37.5	68	B	32.0	29.5	62	C	32.5	28.0	61	C	0.0	50.0	50	C	28.5	28.5	57	C	26.5	36.5	63	C	28.5	28.5	57	C	2.1	PASS		
73	E.164137	34.0	38.5	73	B	27.0	30.5	58	C	35.5	27.5	63	C	0.0	50.0	50	C	34.0	25.5	60	C	36.5	26.5	63	C	23.0	28.5	52	C	2.1	PASS		
74	E.164138	31.0	27.0	58	C	26.0	25.5	52	C	31.5	28.5	60	C	0.0	50.0	50	C	0.0	50.0	50	C	25.5	26.5	52	C			0	F	1.7	SPECIAL SUPP.(JLT04) 111		
75	E.164139	30.0	30.5	61	C	0.0	50.0	50	C	22.0	29.5	52	C	0.0	50.0	50	C	0.0	50.0	50	C	28.0	29.0	57	C	0.0	50.0	50	C	2.0	PASS		
76	E.164140	35.0	35.0	70	B	30.0	36.5	67	B	24.5	27.0	52	C	0.0	50.0	50	C	39.5	26.0	66	B	32.5	30.0	63	C	24.0	26.5	51	C	2.4	PASS		
77	E.164142	34.5	33.0	68	B	37.5	32.5	70	B	0.0	50.0	50	C	33.0	25.0	58	C	32.5	25.0	58	C	28.0	28.5	57	C	0.0	50.0	50	C	2.3	PASS		
78	E.164145	29.5	39.0	69	B	36.5	25.5	62	C	30.0	29.0	59	C	0.0	50.0	50	C	0.0	50.0	50	C	30.0	34.5	65	B	21.5	31.5	53	C	2.2	PASS		
79	E.164147	32.0	41.0	73	B	0.0	28.0	28	D	34.5	29.0	64	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	1.9	DISCO		
80	E.164149	36.5	31.5	68	B	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	34.0	28.0	62	C	2.1	PASS		
81	E.164150	30.0	31.0	61	C	29.0	35.0	64	C	23.5	35.0	59	C	25.0	27.5	53	C	0.0	50.0	50	C	0.0	50.0	50	C	26.5	26.5	53	C	2.0	PASS		
82	E.164153	38.0	35.5	74	B	23.0	28.0	51	C	28.0	25.0	53	C	27.5	26.0	54	C	0.0	50.0	50	C	33.0	29.0	62	C	0.0	50.0	50	C	2.1	PASS		
83	E.164154	40.5	46.0	87	A	26.5	26.0	53	C	37.5	30.0	68	B	25.0	25.5	51	C	33.0	37.0	70	B			0	F	31.0	27.0	58	C	2.2	SPECIAL SUPP. (JLTO4)109		
84	E.164155	39.0	39.5	79	B	37.0	37.5	75	B	28.0	40.5	69	B	28.5	25.5	54	C	0.0	50.0	50	C	31.5	37.0	69	B	0.0	50.0	50	C	2.5	PASS		
85	E.164157	40.0	30.0	70	B	0.0	50.0	50	C	34.5	29.0	64	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	27.5	28.0	56	C	2.1	PASS		
86	E.164159	41.5	25.0	67	B	0.0	50.0	50	C	28.5	27.5	56	C	0.0	50.0	50	C	31.0	31.0	62	C	33.0	31.0	64	C	0.0	50.0	50	C	2.1	PASS		
87	E.164160	36.0	31.0	67	B	28.5	29.5	58	C	0.0	50.0	50	C	0.0	50.0	50	C	0.0	50.0	50	C	30.0	26.5	57	C	0.0	50.0	50	C	2.1	PASS		
88	E.164165	38.5	41.5	80	A	36.0	37.0	73	B	32.0	30.5	63	C	0.0	50.0	50	C	34.5	26.5	61	C	33.5	39.5	73	B	25.5	28.5	54	C	2.5	PASS		
89	E.164166	32.5	26.0	59	C	26.0	28.0	54	C	33.5	26.0	60	C	0.0	50.0	50	C	0.0	50.0	50	C	29.0	26.0	55	C	23.0	27.0	50	C	2.0	PASS		
90	E.164167	34.0	37.5	72	B	31.5	35.5	67	B	32.5	39.5	72	B	25.0	27.5	53	C	0.0	50.0	50	C	19.5	32.0	52	C	0.0	50.0	50	C	2.4	PASS		
91	E.164168	32.0	39.5	72	B	37.5	35.0	73	B	23.5	39.5	63	C	0.0	50.0	50	C	34.5	29.0	64	C	33.0	35.0	68	B	30.5	27.0	58	C	2.4	PASS		
92	E.164169	34.5	33.0	68	B	40.5	25.5	66	B	25.0	38.0	63	C	0.0	50.0	50	C	0.0	50.0	50	C	31.5	34.5	66	B	23.0	28.5	52	C	2.4	PASS		
93	E.164170	31.0	39.0	70	B	33.0	33.5	67	B	38.5	27.5	66	B	0.0	50.0	50	C	0.0	50.0	50	C	23.5	29.0	53	C	29.0	34.0	63	C	2.4	PASS		
94	E.164171	34.5	38.5	73	B	37.0	30.5	68	B	31.5	36.5	68	B	0.0	50.0	50	C	35.0	33.0	68	B	29.5	36.5	66	B	26.5	30.5	57	C	2.7	PASS		
95	E.164172	31.0	34.0	65	B	33.0	38.0	71	B	36.5	31.5	68	B	0.0	50.0	50	C	0.0	50.0	50	C	35.0	37.5	73	B	0.0	50.0	50	C	2.5	PASS		
96	E.164173	36.0	34.0	70	B	28.0	34.0	62	C	33.5	26.0	60	C	26.0	25.0	51	C	22.5	30.5	53	C	25.0	32.5	58	C	0.0	50.0	50	C	2.1	PASS		
97	E.164174	36.0	38.5	75	B	24.5	29.5	54	C	0.0	28.0	28	F	25.0	29.5	55	C	27.5	25.0	53	C	25.5	32.5	58	C	0.0	50.0	50	C	1.8	DISCO		
98	E.164175	35.5	37.0	73	B	35.5	25.0	61	C	32.0	28.5	61	C	0.0	50.0	50	C	0.0	50.0	50	C	24.0	36.0	60	C	24.0	27.5	52	C	2.1	PASS		
99	E.164179	37.5	40.0	78	B	0.0	50.0	50	C	31.5	36.0	68	B	24.5	30.0	55	C	0.0	50.0	50	C	29.5	35.5	65	B	27.5	25.0	53	C	2.4	PASS		

Mo	8				10				8				9				8				9				8				Semester G.P.A	Remarks	
Mo	JLT04101				JLT04102				JLT04103				JLT04104				JLT04107				JLT04109				JLT04111						
	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR			
S/N	Exam Number																														
SUMMARY PER	PASS:	99				95				94				99				99				96				97					
	SUPL:	0				4				5				0				0				3				1					
	ABSCOND	0				0				0				0				0				0				0					
	TOTAL	99				99				99				99				99				99				98					

[Redacted]

[Redacted]

[Redacted]

[Redacted]





[Redacted]

[Redacted]

[Redacted]

[Redacted]





[Redacted]

[Redacted]

[Redacted]

[Redacted]





[Redacted]

[Redacted]

[Redacted]

[Redacted]





