

INSTITUTE OF JUDICIAL ADMINISTRATION - LUSHOTO
DEPARTMENT OF JUDICIAL AND LEGAL STUDIES -JLS
Overall Detailed of Results

NTA Level: 6 - Field of study: Law

Year of Study: 2017 / 2018 Semester: I Weight : CA 50% SE 50%

Key:

JLT06101 - Introduction to ICT

JLT06106 - Judicial Ethics and the Administration of Justice

JLT06107 - Development Studies

JLT06108 - Administrative Law

JLT06109 - Principles of Human Rights

JLT06111 - Introduction to Labour Law and Practice

CA - Continuous Assessment, SE - Semester Examination, TS - Total Score, GR - Grade, GPA - Grade Point Average

Summary Results

PASS: 68 SUPPL: 89 POSTPONED: 6 DISCO/ABSCOND: 0

Module Credit			10				12				7				14				10				10				Semester G.P.A	Remarks
Module Code:			JLT06101				JLT06106				JLT06107				JLT06108				JLT06109				JLT06111					
S/N	Registration Number	Examination Number	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR		
1	NP0804/0044/2013	E.17601	34.5	28.5	63	B	34.5	37.0	72	B+	40.0	30.0	70	B+	34.0	31.5	66	B+	30.5	19.5	50	D	36.0	31.5	68	B+	3.3	SUPPL(JLT06) 109
2	NS1274/0001/2013	E.17602	27.0	26.5	54	D	38.0	42.5	81	A	25.5	40.0	66	B+	34.0	32.5	67	B+	17.5	38.0	56	B	33.5	41.0	75	A	3.7	SUPPL(JLT06)101
3	NS4217/0045/2013	E.17603	23.5		24	F	36.0		36	D	35.0		35	D	32.5		33	F	8.0		8	F	28.0		28	F	0.3	POSTPONED
4	NS5000/0002/2014	E.17604	26.0	18.0	44	D	31.5	33.5	65	B+	23.5	30.0	54	C	36.0	32.0	68	B+	36.5	36.0	73	B+	32.5	38.0	71	B+	3.3	SUPPL(JLT06) 101
5	NS0392/0078/2013	E.17605	29.5	37.5	67	B+	33.0	36.0	69	B+	36.0	32.5	69	B+	36.0	26.5	63	D	25.5	38.0	64	B	38.0	38.0	76	A	3.3	SUPPL(JLT06)108
6	NP1377/0129/2014	E.17606	25.0	23.0	48	D	36.5	35.5	72	B+	33.5	30.0	64	B	38.0	32.5	71	B+	36.0	37.5	74	B+	31.5	39.0	71	B+	3.4	SUPPL(JLT06)101
7	NS1648/0073/2008	E.17607	33.0	31.0	64	B	30.5	35.5	66	B+	39.0	31.0	70	B+	34.0	32.5	67	B+	32.5	37.0	70	B+	21.0	38.0	59	B	3.6	PASS
8	NP2517/0025/2014	E.17608	25.0	34.0	59	B	39.0	38.0	77	A	28.0	30.5	59	B	30.5	28.5	59	B	37.0	36.0	73	B+	38.0	40.0	78	A	3.8	PASS
9	NS0504/0001/2013	E.17609	32.0	29.0	61	B	36.0	35.0	71	B+	32.0	26.5	59	D	25.0	33.5	59	B	28.0	32.0	60	B	34.0	37.5	72	B+	3.1	SUPPL(JLT06)107

Summary Results

PASS: 68 SUPPL: 89 POSTPONED: 6 DISCO/ABSCOND: 0

Module Credit			10				12				7				14				10				10									
			JLT06101				JLT06106				JLT06107				JLT06108				JLT06109				JLT06111									
Module Code:			CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR		
10	NS4090/0160/2013	E.17610	29.0	22.5	52	D	33.5	37.0	71	B+	27.0	34.5	62	B	35.0	27.0	62	B	24.0	35.0	59	B	36.0	32.5	69	B+	3.0		SUPPL(JLT06)101			
11	NP0135/0061/2014	E.17611	27.5	41.0	69	B+	40.0	37.0	77	A	38.5	24.0	63	D	40.0	24.0	64	D	34.0	35.0	69	B+	37.0	45.5	83	A	3.3		SUPPL(JLT06)107,108			
12	NS1088/0005/2014	E.17612	30.0	34.5	65	B+	33.0	42.0	75	A	41.0	41.0	82	A	43.5	27.5	71	B+	35.5	38.5	74	B+	30.0	45.5	76	A	4.4		PASS			
13	NS2425/0044/2013	E.17613	23.5	20.5	44	D	31.0	37.0	68	B+	35.5	34.0	70	B+	31.5	34.5	66	B+	27.0	30.0	57	B	36.0	42.0	78	A	3.5		SUPPL(JLT06)101			
14	NS0787/0006/2013	E.17614	25.0	24.0	49	D	30.5	35.0	66	B+	26.5	31.0	58	B	32.0	20.0	52	D	23.5	30.5	54	C	25.5	38.0	64	B	2.2		SUPPL(JLT06)101,108			
15	NS2652/0076/2013	E.17615	31.0	19.5	51	D	30.0	38.0	68	B+	32.0	29.0	61	B	43.0	34.0	77	A	28.0	31.0	59	B	30.0	43.5	74	B+	3.4		SUPPL(JLT06)101			
16	NS4584/0003/2013	E.17616	22.5	30.5	53	C	23.5	33.5	57	B	37.0	32.5	70	B+	36.0	39.0	75	A	22.5	34.5	57	B	36.0	39.5	76	A	3.7		PASS			
17	NS0442/0005/2014	E.17617	30.5	34.0	65	B+	37.0	37.0	74	B+	41.5	44.0	86	A	40.0	25.0	65	D	23.5	36.5	60	B	41.5	38.5	80	A	3.4		SUPPL(JLT06)108			
18	NS1437/0002/2014	E.17618	34.0	37.5	72	B+	35.5	42.0	78	A	31.5	37.0	69	B+	37.5	29.5	67	B+	29.0	41.5	71	B+	44.0	41.5	86	A	4.3		PASS			
19	NS1071/0026/2014	E.17619	23.5	27.0	51	C	31.5	36.5	68	B+	33.0	25.5	59	D	34.0	37.0	71	B+	31.5	41.0	73	B+	30.5	40.0	71	B+	3.3		SUPPL(JLT06)107			
20	NS0781/0110/2013	E.17620	34.0		34	F	38.0		38	D	33.5		34	F	33.5		34	F	28.0		28	F	31.5		32	F	0.1		POSTPONED			
21	NP1006/0016/2014	E.17621	30.5	24.0	55	D	35.5	30.5	66	B+	36.5	31.5	68	B+	28.5	33.5	62	B	38.5	40.5	79	A	36.0	41.5	78	A	3.6		SUPPL(JLT06)101,			
22	NN0301/0309/2014	E.17622	31.0	35.5	67	B+	35.5	34.0	70	B+	32.5	25.0	58	D	30.5	39.5	70	B+	30.0	39.5	70	B+	33.5	43.5	77	A	3.8		SUPPL(JLT06)107			
23	NP0681/0028/2014	E.17623	32.5	30.5	63	B	44.0	39.5	84	A	34.0	39.0	73	B+	36.5	29.0	66	B+	31.0	33.5	65	B+	30.0	43.0	73	B+	4.0		PASS			
24	NS0485/0022/2013	E.17624	28.0	22.0	50	D	30.5	27.0	58	B	33.0	28.0	61	B	32.5	34.5	67	B+	24.0	27.5	52	C	36.0	33.5	70	B+	2.9		SUPPL(JLT06)101			
25	NS0178/0104/2013	E.17625	33.0	30.0	63	B	37.0	37.5	75	A	44.5	26.0	71	D	37.5	37.5	75	A	31.0	36.0	67	B+	34.0	35.5	70	B+	3.9		SUPPL(JLT06)107			
26	NS1011/0067/2014	E.17626	34.5	32.5	67	B+	39.0	38.5	78	A	33.0	41.0	74	B+	34.5	35.0	70	B+	25.5	35.5	61	B	30.5	38.5	69	B+	4.0		PASS			
27	NS1880/0097/2014	E.17627	26.5	33.0	60	B	28.5	33.5	62	B	30.0	19.0	49	D	39.0	23.5	63	D	33.0	30.0	63	B	36.0	28.0	64	B	2.3		SUPPL(JLT06)107,108			
28	NS4877/0002/2014	E.17628	23.5	24.5	48	D	29.0	31.5	61	B	30.0	24.0	54	D	31.5	18.5	50	D	24.0	16.0	40	D	30.0	37.5	68	B+	1.8		SUPPL(JLT06)101,107,108,109			
29	NS3308/0060/2012	E.17629	27.5	25.0	53	D	34.5	36.0	71	B+	27.5	36.5	64	B	37.0	31.5	69	B+	31.0	38.5	70	B+	25.5	39.5	65	B+	3.4		SUPPL(JLT06)101			
30	NP0222/0198/2014	E.17630	28.0	31.0	59	B	39.5	35.5	75	A	38.0	30.5	69	B+	43.5	28.5	72	B+	27.0	32.0	59	B	36.5	36.0	73	B+	3.8		PASS			
31	NS0313/0044/2010	E.17631	17.0		17	F	0.0		0	F	0.0		0	F	0.0		0	F	0.0		0	F		43.0	43	D	0.1		DISMISSAL			
32	NS1621/0013/2013	E.17632	28.0	27.5	56	B	30.5	41.0	72	B+	36.0	27.5	64	B	33.5	35.0	69	B+	30.0	30.5	61	B	37.0	39.5	77	A	3.7		PASS			
33	NS3867/0011/2013	E.17633	28.0	31.0	59	B	39.5	32.5	72	B+	33.5	25.0	59	D	36.5	35.5	72	B+	29.0	39.0	68	B+	39.0	40.5	80	A	3.6		SUPPL(JLT06)107			
34	NS1264/0002/2013	E.17634	29.5	31.0	61	B	31.5	39.5	71	B+	25.5	31.5	57	B	38.0	29.5	68	B+	27.0	30.5	58	B	35.0	38.5	74	B+	3.5		PASS			
35	NS3466/0293/2012	E.17635	29.0	16.5	46	D	28.0	29.0	57	B	27.0	32.0	59	B	31.0	30.0	61	B	14.0	17.0	31	F	33.0	30.0	63	B	2.2		SUPPL(JLT06)101,109			
36	NS3363/0059/2012	E.17636	36.5	21.5	58	D	32.5	33.5	66	B+	39.0	26.0	65	D	34.0	36.0	70	B+	27.0	27.5	55	B	32.5	43.0	76	A	3.1		SUPPL(JLT06)101,107			
37	NS1011/0072/2014	E.17637	33.5	28.5	62	B	38.5	35.0	74	B+	24.5	24.0	49	D	40.5	32.0	73	B+	28.5	31.5	60	B	41.0	35.0	76	A	3.5		SUPPL(JLT06)107			
38	NS1160/0007/2013	E.17638	25.5	27.5	53	C	36.0	31.0	67	B+	38.0	30.0	68	B+	32.0	14.5	47	D	26.0		26	F	28.0	35.5	64	B	2.2		POSTPONED (JLT06), 109 SUPPL (JLT06)108			
39	NS1198/0070/2014	E.17639	26.5	33.0	60	B	38.5	35.5	74	B+	23.5	33.5	57	B	29.0	36.0	65	B+	23.5	29.0	53	C	32.5	37.0	70	B+	3.4		PASS			
40	NS4090/0029/2014	E.17640	36.0	25.5	62	D	29.5	35.5	65	B+	24.5	40.0	65	B+	37.5	33.5	71	B+	20.0	40.0	60	B	22.5	41.5	64	B	3.2		SUPPL(JLT06)101			
41	NS0640/0092/2013	E.17641	34.5	36.0	71	B+	33.5	37.0	71	B+	38.0	27.5	66	B+	36.5	40.5	77	A	33.0	43.0	76	A	33.0	42.5	76	A	4.5		PASS			

Summary Results

PASS: 68 SUPPL: 89 POSTPONED: 6 DISCO/ABSCOND: 0

Module Credit			10				12				7				14				10				10									
			JLT06101				JLT06106				JLT06107				JLT06108				JLT06109				JLT06111									
Module Code:			CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR		
42	NS0345/0168/2014	E.17642	32.5	28.5	61	B	38.0	39.5	78	A	39.0	33.5	73	B+	38.0	36.0	74	B+	29.5	42.5	72	B+	36.5	43.0	80	A	4.1	PASS				
43	NS1071/0350/2013	E.17643	28.0	19.5	48	D	35.0	33.0	68	B+	29.5	35.0	65	B+	33.0	35.0	68	B+	28.0	39.5	68	B+	30.5	37.5	68	B+	3.5	SUPPL(JLT06)101				
44	NS0419/0002/2014	E.17644	36.5	37.0	74	B+	38.5	43.0	82	A	42.0	31.5	74	B+	41.5	44.0	86	A	31.5	38.0	70	B+	41.0	36.5	78	A	4.5	PASS				
45	NS4104/0099/2014	E.17645	29.0	28.5	58	B	19.5	32.0	52	C	33.0	22.5	56	D	38.5	35.5	74	B+	17.5	35.0	53	C	33.0	35.5	69	B+	2.8	SUPPL(JLT06)107				
46	NS0157/0005/2002	E.17646	27.5	15.0	43	D	28.5	25.0	54	D	23.0	20.5	44	D	34.0	29.0	63	B	22.0	30.0	52	C	41.5	37.0	79	A	2.2	SUPPL(JLT06)101,106,107				
47	NP0170/0010/1999	17647	29.5	34.5	64	B	32.5	33.0	66	B+	31.0	21.5	53	D	32.0	29.5	62	B	26.0	35.5	62	B	31.5	38.5	70	B+	3.1	SUPPL(JLT06)107				
48	NS0534/0041/2013	E.17648	27.5	30.5	58	B	33.5	33.5	67	B+	33.5	27.5	61	B	28.0	31.5	60	B	27.5	29.5	57	B	31.5	38.0	70	B+	3.3	PASS				
49		E.17649	28.0	22.5	51	D	36.0	38.5	75	A	26.5	30.5	57	B	32.5	25.0	58	D	25.5	31.5	57	B	33.0	42.5	76	A	2.9	SUPPL(JLT06)101,108				
50	NS0181/0019/2012	E.17650	32.5	39.5	72	B+	34.5	38.5	73	B+	20.0	29.5	50	C	43.0	33.0	76	A	28.5	39.0	68	B+	33.5	40.5	74	B+	4.0	PASS				
51	NS0510/0121/2010	E.17651	34.5	33.0	68	B+	39.0	42.5	82	A	32.0	31.0	63	B	40.0	30.5	71	B+	36.0	35.0	71	B+	30.0	40.5	71	B+	4.0	PASS				
52	NS1310/0074/2013	E.17652	30.5	34.5	65	B+	35.0	34.5	70	B+	28.5	25.5	54	D	40.0	31.5	72	B+	28.0	32.5	61	B	28.5	41.0	70	B+	3.5	SUPPL(JLT06)107				
53	NS1906/0015/2013	E.17653	28.0	35.0	63	B	36.0	38.5	75	A	30.0	26.5	57	D	35.5	34.0	70	B+	25.5	27.0	53	C	36.5	42.0	79	A	3.5	SUPPL(JLT06)107				
54	NS0343/0035/2014	E.17654	32.0	27.0	59	B	34.5	41.5	76	A	31.0	36.0	67	B+	37.5	41.0	79	A	34.5	37.5	72	B+	39.5	40.5	80	A	4.4	PASS				
55	NS3601/0039/2013	E.17655	25.0	20.5	46	D	30.0	31.5	62	B	31.5	25.0	57	D	29.0	29.5	59	B	19.5	18.0	38	D	30.5	33.5	64	B	2.1	SUPPL(JLT06)101,107,109				
56	NS3490/0071/2013	17656	24.0	25.0	49	D	32.5	38.0	71	B+	34.0	18.5	53	D	38.5	30.0	69	B+	28.5	35.5	64	B	24.0	35.0	59	B	2.8	SUPPL(JLT06)101,107				
57	NS0496/0185/2014	E.17657	27.5	26.0	54	D	33.0	32.0	65	B+	34.0	15.5	50	D	35.5	24.0	60	D	24.0	33.0	57	B	35.0	38.5	74	B+	2.3	SUPPL(JLT06)101,107,108				
58	NP0566/0041/2014	E.17658	20.0	22.5	43	D	29.5	34.0	64	B	43.0	40.5	84	A	42.5	31.5	74	B+	32.0	29.0	61	B	32.0	41.5	74	B+	3.2	SUPPL(JLT06)101				
59	NS0304/0122/2013	E.17659	31.5	30.5	62	B	36.5	37.5	74	B+	28.0	35.0	63	B	38.0	28.5	67	B+	31.5	35.5	67	B+	33.0	36.5	70	B+	3.7	PASS				
60	NS4556/0019/2013	E.17660	38.0	38.0	76	A	38.0	42.5	81	A	37.0	37.5	75	A	43.0	34.0	77	A	36.0	38.5	75	A	42.0	42.0	84	A	5.0	PASS				
61	NS0320/0008/2007	E.17661	32.5	33.0	66	B+	36.5	34.0	71	B+	41.0	27.0	68	B+	37.0	29.5	67	B+	32.0	35.5	68	B+	23.0	39.0	62	B	3.8	PASS				
62	NS0249/0039/2013	E.17662	29.5	32.0	62	B	30.5	34.0	65	B+	41.0	33.0	74	B+	31.0	27.5	59	B	26.5	31.0	58	B	29.5	30.0	60	B	3.3	PASS				
63		E.17663	32.0	40.0	72	B+	35.5	39.5	75	A	28.0	29.0	57	B	41.5	36.5	78	A	26.0	34.0	60	B	41.0	45.5	87	A	4.3	PASS				
64	NS0640/0027/2014	E.17664	33.5	28.5	62	B	27.0	38.0	65	B+	36.0	26.5	63	D	34.0	28.5	63	B	27.0	37.0	64	B	41.5	39.0	81	A	3.2	SUPPL(JLT06)107				
65	NS0285/0026/2013	E.17665	32.0	23.0	55	D	31.0	37.5	69	B+	33.0	33.5	67	B+	25.5	32.5	58	B	31.0	37.0	68	B+	32.0	38.5	71	B+	3.3	SUPPL(JLT06)101				
66	NP2517/0224/2014	E.17666	26.5	13.0	40	D	33.0	29.0	62	B	24.0	27.5	52	C	29.5	32.5	62	B	23.5	34.0	58	B	36.0	35.5	72	B+	2.7	SUPPL(JLT06)101				
67	NP0394/0023/2014	E.17667	30.0	31.5	62	B	31.0	38.5	70	B+	34.5	33.0	68	B+	31.0	29.5	61	B	35.0	37.5	73	B+	34.0	42.5	77	A	3.7	PASS				
68	NS4641/0010/2013	17668	31.5	29.5	61	B	29.5	32.0	62	B	30.5	31.0	62	B	32.5	34.0	67	B+	34.5	17.5	52	D	30.5	40.0	71	B+	3.0	SUPPL(JLT06)109				
69	NS0310/0021/2014	E.17669	22.5	29.0	52	C	35.0	31.5	67	B+	36.0	32.5	69	B+	36.0	31.5	68	B+	31.5	34.0	66	B+	33.5	38.0	72	B+	3.6	PASS				
70	NS1194/0031/2013	E.17670	36.5	27.0	64	B	30.5	40.0	71	B+	36.5	32.5	69	B+	30.5	33.0	64	B	20.0	29.5	50	C	31.0	42.5	74	B+	3.3	PASS				
71	NS3736/0028/2014	E.17671	28.0	18.5	47	D	26.5	31.5	58	B	27.5	19.5	47	D	32.5	38.0	71	B+	32.5	34.0	67	B+	32.0	29.0	61	B	2.8	SUPPL(JLT06)101,107				
72	NS1038/0029/2014	E.17672	24.5	32.0	57	B	31.5	43.0	75	A	36.0	28.5	65	B+	33.5	40.5	74	B+	34.0	38.0	72	B+	37.5	39.5	77	A	4.1	PASS				
73	NS0316/0065/2014	E.17673	28.5	18.5	47	D	33.5	31.5	65	B+	36.0	33.5	70	B+	36.0	31.0	67	B+	22.0	36.0	58	B	34.0	37.5	72	B+	3.3	SUPPL(JLT06)101				

Summary Results

PASS: 68 SUPPL: 89 POSTPONED: 6 DISCO/ABSCOND: 0

Module Credit			10				12				7				14				10				10									
			JLT06101				JLT06106				JLT06107				JLT06108				JLT06109				JLT06111									
Module Code:			CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR		
74	NS4598/0158/2013	E.17674	20.5	22.0	43	D	37.5	37.0	75	A	28.0	35.5	64	B	40.0	27.0	67	B+	21.0	29.0	50	C	40.5	34.5	75	A	3.4	SUPPL(JLT06)101				
75	NS1132/0035/2014	E.17675	27.5	25.0	53	D	31.5	43.0	75	A	36.5	38.0	75	A	29.0	24.0	53	D	23.0	31.5	55	B	36.0	41.5	78	A	3.1	SUPPL(JLT06)101,108				
76	NS0496/0468/2012	E.17676	30.5	20.0	51	D	36.0	34.0	70	B+	31.5	31.0	63	B	28.0	32.5	61	B	21.0	27.0	48	C	27.5	37.0	65	B+	2.8	SUPPL(JLT06)101				
77	NP0419/0004/2014	E.17677	30.5	26.5	57	D	29.5	35.5	65	B+	24.5	27.5	52	C	37.5	37.5	75	A	24.0	28.0	52	C	40.0	33.5	74	B+	3.2	SUPPL(JLT06)101				
78	NS1684/0012/2013	E.17678	31.5	19.5	51	D	29.5	33.0	63	B	31.0	26.5	58	D	34.5	35.5	70	B+	27.0	38.0	65	B+	35.5	35.0	71	B+	3.0	SUPPL(JLT06)101,107				
79	NS4039/0070/2014	E.17679	27.0	25.0	52	D	25.5	30.5	56	B	38.5	22.5	61	D	40.5	36.0	77	A	29.0	40.0	69	B+	31.0	33.5	65	B+	3.2	SUPPL(JLT06)101,107				
80	NS1878/0026/2013	E.17680	30.0	28.5	59	B	34.0	39.5	74	B+	40.0	33.0	73	B+	30.5	34.0	65	B+	22.5	36.0	59	B	33.5	44.0	78	A	3.8	PASS				
81	NS1818/0143/2014	E.17681	28.0	27.0	55	B	36.5	38.0	75	A	36.0	28.5	65	B+	35.5	37.0	73	B+	37.0	27.0	64	B	31.5	40.0	72	B+	3.8	PASS				
82	NS1045/0057/2013	E.17682	30.5	34.5	65	B+	38.0	40.5	79	A	29.5	22.5	52	D	38.0	37.0	75	A	26.0	37.5	64	B	28.5	41.0	70	B+	3.9	SUPPL(JLT06)107				
83	NS4090/0233/2014	E.17683	33.0	35.5	69	B+	37.5	39.0	77	A	36.5	28.5	65	B+	39.5	33.5	73	B+	32.0	21.5	54	D	24.5	38.0	63	B	3.5	SUPPL(JLT06)109				
84	NS0178/0138/2013	E.17684	28.5	32.0	61	B	32.5	38.0	71	B+	42.0	43.5	86	A	41.5	37.0	79	A	33.5	28.0	62	B	30.0	39.5	70	B+	4.0	PASS				
85	NP3949/0124/2013	E.17685	36.0	37.0	73	B+	34.5	41.5	76	A	41.0	27.0	68	B+	43.5	41.0	85	A	35.0	35.0	70	B+	39.0	44.5	84	A	4.5	PASS				
86	NS4628/0056/2014	E.17686	27.5	28.5	56	B	33.0	36.0	69	B+	37.0	27.0	64	B	35.0	33.5	69	B+	30.0	36.0	66	B+	26.0	37.0	63	B	3.5	PASS				
87	NS0534/0225/2014	E.17687	29.5	34.5	64	B	32.0	36.0	68	B+	33.5	22.0	56	D	38.0	27.0	65	B+	35.5	27.0	63	B	41.0	40.5	82	A	3.5	SUPPL(JLT06)107				
88	NS2381/0060/2013	E.17688	28.0	16.0	44	D	36.5	42.5	79	A	31.0	34.0	65	B+	32.0	39.0	71	B+	27.0	31.0	58	B	33.5	36.0	70	B+	3.5	SUPPL(JLT06)101,				
89	NS1181/0174/2012	E.17689	38.0	34.0	72	B+	41.0	41.5	83	A	38.0	23.5	62	D	36.0	40.0	76	A	28.5	41.0	70	B+	46.5	43.5	90	A	4.2	SUPPL(JLT06)107				
90	NS1150/0050/2013	E.17690	31.0	20.5	52	D	33.0	36.5	70	B+	30.0	48.5	79	A	39.5	37.5	77	A	25.0	37.0	62	B	37.0	38.5	76	A	3.8	SUPPL(JLT06)101				
91	NS4867/0035/2014	E.17691	31.5	24.0	56	D	34.0	36.0	70	B+	27.5	25.5	53	D	29.0	18.5	48	D	15.5	27.0	43	D	35.5	19.5	55	D	1.5	SUPPL(JLT06)101,107,108,109,111				
92	NS3661/0200/2013	E.17692	27.5	19.5	47	D	35.5	39.5	75	A	23.5	22.5	46	D	35.5	37.5	73	B+	24.5	28.0	53	C	23.0	31.5	55	B	2.9	SUPPL(JLT06)101,107				
93	NS0297/0040/2013	E.17693	30.0	23.5	54	D	31.0	33.0	64	B	31.0	30.5	62	B	31.5	35.0	67	B+	20.5	29.5	50	C	28.0	32.5	61	B	2.7	SUPPL(JLT06)101				
94	NS0631/0027/2013	E.17694	29.0	27.5	57	B	33.0	39.5	73	B+	35.5	26.5	62	D	40.5	34.5	75	A	32.0	33.0	65	B+	43.0	35.0	78	A	3.8	SUPPL(JLT06)107,				
95	NS0283/0023/2013	E.17695	31.5	21.0	53	D	33.5	43.0	77	A	32.0	21.5	54	D	35.0	39.5	75	A	27.0	33.0	60	B	42.0	42.5	85	A	3.6	SUPPL(JLT06)101,107				
96		E.17696	30.5	23.5	54	D	34.0	32.5	67	B+	33.0	27.0	60	B	36.5	38.0	75	A	29.5	37.5	67	B+	36.5	43.0	80	A	3.7	SUPPL(JLT06)101,				
97	NS1445/0037/2012	E.17697	30.0	29.0	59	B	37.5	40.0	78	A	25.0	36.0	61	B	35.0	33.0	68	B+	28.5	35.0	64	B	41.0	38.0	79	A	3.9	PASS				
98	NP0804/0039/2014	E.17698	32.0	28.0	60	B	27.5	38.0	66	B+	37.5	23.0	61	D	30.5	34.5	65	B+	27.0	33.0	60	B	31.0	38.5	70	B+	3.3	SUPPL(JLT06)107				
99	NS0926/0045/2013	E.17699	28.5	30.5	59	B	39.5	36.0	76	A	32.0	26.5	59	D	35.0	30.5	66	B+	27.5	28.5	56	B	30.0	36.5	67	B+	3.5	SUPPL(JLT06)107				
100	NP1327/0136/2014	E.176100	17.0		17	F	0.0		0	F	0.0		0	F	0.0		0	F	9.0		9	F	7.0		7	F	0.0	POSTPONED				
101	NP0539/0042/2013	E.176101	24.5	33.0	58	B	41.0	41.5	83	A	41.5	35.5	77	A	36.5	43.0	80	A	33.0	32.5	66	B+	43.5	42.5	86	A	4.5	PASS				
102	NS1327/0045/2014	E.176102	28.5	31.0	60	B	27.5	42.5	70	B+	28.0	28.0	56	B	40.5	28.0	69	B+	28.0	30.5	59	B	36.5	41.0	78	A	3.7	PASS				
103	NS4733/0099/2013	E.176103	27.0	31.0	58	B	36.0	42.0	78	A	35.0	32.0	67	B+	36.0	34.0	70	B+	32.0	28.0	60	B	37.0	41.0	78	A	4.0	PASS				
104	NS0356/0112/2012	E.176105	28.5	20.5	49	D	29.5	37.5	67	B+	25.5	26.5	52	D	26.0	31.5	58	B	28.0	31.0	59	B	29.5	37.0	67	B+	2.8	SUPPL(JLT06)101,107				

Summary Results

PASS: 68 SUPPL: 89 POSTPONED: 6 DISCO/ABSCOND: 0

Module Credit			10				12				7				14				10				10									
			JLT06101				JLT06106				JLT06107				JLT06108				JLT06109				JLT06111									
Module Code:			CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR		
105	NS1259/0018/2014	E.176106	29.5	28.0	58	B	31.5	37.5	69	B+	32.5	38.5	71	B+	36.0	37.0	73	B+	28.0	35.5	64	B	27.5	32.5	60	B	3.5	PASS				
106	NP1383/0067/2014	E.176107	23.5	22.0	46	D	34.0	36.5	71	B+	28.5	30.5	59	B	33.0	27.5	61	B	12.5	27.0	40	D	40.5	32.5	73	B+	2.7	SUPPL(JLT06)101,109				
107	NS3533/0268/2013	E.176108	32.0	28.5	61	B	40.5	43.0	84	A	43.0	31.0	74	B+	34.0	31.5	66	B+	25.5	27.5	53	C	32.0	36.5	69	B+	3.7	PASS				
108	NS1553/0050/2014	E.176109	24.5	28.5	53	C	38.0	35.5	74	B+	41.0	34.5	76	A	42.0	29.5	72	B+	34.0	22.0	56	D	36.5	37.0	74	B+	3.3	SUPPL(JLT05)109				
109	NN0301/0312/2012	E.176110	35.0	25.0	60	D	28.5	34.5	63	B	26.5	22.5	49	D	31.5	35.0	67	B+	30.0	32.5	63	B	32.5	20.5	53	D	2.3	SUPPL(JLT06)101,107,111				
110	NS0665/0126/2013	E.176111	36.0	39.0	75	A	38.0	39.0	77	A	34.0	25.0	59	D	37.5	37.0	75	A	24.5	31.0	56	B	37.0	39.5	77	A	4.2	SUPPL(JLT06)107				
111	NP0254/0017/2014	E.176112	32.5	27.0	60	B	27.5	30.5	58	B	29.5	19.0	49	D	30.5	22.5	53	D	19.0	29.0	48	C	24.5	37.0	62	B	2.1	SUPPL(JLT06)107,108				
112	NP0328/0084/2014	E.176113	32.0	35.5	68	B+	39.0	42.5	82	A	35.5	27.0	63	B	41.5	37.0	79	A	32.0	40.5	73	B+	37.0	42.5	80	A	4.4	PASS				
113	NS1622/0050/2013	E.176114	30.5	31.5	62	B	35.0	37.5	73	B+	29.0	32.5	62	B	21.5	30.0	52	C	28.0	37.0	65	B+	40.5	36.5	77	A	3.4	PASS				
114	NP4007/0040/2014	E.176115	29.5	27.0	57	B	31.5	34.5	66	B+	35.5	24.5	60	D	34.0	29.5	64	B	31.5	36.5	68	B+	35.0	31.0	66	B+	3.2	SUPPL(JLT06)107				
115	NP3627/0066/2014	E.176116	30.0	25.5	56	D	34.0	38.5	73	B+	34.5	31.0	66	B+	36.0	33.0	69	B+	26.5	29.0	56	B	43.0	40.5	84	A	3.5	SUPPL(JLT06)101				
116	NS4766/0026/2014	E.176117	26.5	24.5	51	D	42.0	39.0	81	A	35.5	32.0	68	B+	32.5	28.5	61	B	30.0	34.0	64	B	30.5	42.0	73	B+	3.3	SUPPL(JLT06)101				
117	NP4450/0075/2014	E.176118	31.0	33.5	65	B+	36.5	40.0	77	A	29.5	34.0	64	B	36.5	35.0	72	B+	31.0	32.5	64	B	36.0	44.0	80	A	4.0	PASS				
118	NP0546/0071/2014	E.176119	33.0	24.0	57	D	30.0	33.5	64	B	29.5	33.0	63	B	36.5	29.5	66	B+	33.0	33.0	66	B+	37.5	35.5	73	B+	3.2	SUPPL(JLT06)101				
119	NS1198/0115/2013	E.176120	29.0	29.0	58	B	37.0	36.0	73	B+	30.5	39.0	70	B+	35.5	35.5	71	B+	29.5	29.5	59	B	37.0	40.0	77	A	3.8	PASS				
120	NS4432/0041/2013	E.176121	24.5	9.0	34	F	35.5	38.5	74	B+	33.5	23.0	57	D	32.0	36.0	68	B+	27.5	27.0	55	B	40.5	37.5	78	A	3.0	SUPPL(JLT06)101,107				
121	NS1163/0080/2011	E.176122	29.5	22.5	52	D	35.5	37.5	73	B+	27.5	28.5	56	B	36.0	24.5	61	D	26.0	33.5	60	B	39.0	37.0	76	A	2.7	SUPPL(JLT06)101,108				
122	NS1739/0208/2013	E.176123	30.5	23.5	54	D	31.5	33.0	65	B+	29.0	30.0	59	B	37.0	28.5	66	B+	26.5	28.5	55	B	33.5	34.0	68	B+	3.2	SUPPL(JLT06)101				
123	NS0388/0142/2014	E.176124	32.0	25.0	57	D	31.5	30.0	62	B	28.5	38.0	67	B+	37.5	29.0	67	B+	28.5	33.5	62	B	22.5	37.0	60	B	3.0	SUPPL(JLT06)101				
124	NS0996/0047/2014	E.176125	32.5	32.5	65	B+	40.0	42.5	83	A	32.5	33.0	66	B+	32.0	40.0	72	B+	26.0	40.0	66	B+	32.0	43.0	75	A	4.3	PASS				
125	NS3646/0011/2014	E.176126	25.0	27.0	52	C	32.5	34.0	67	B+	33.0	33.5	67	B+	23.0	27.0	50	C	26.0	29.0	55	B	31.0	38.0	69	B+	3.0	PASS				
126	NS0465/0067/2014	E.176128	29.5	25.0	55	D	33.5	38.0	72	B+	32.0	34.5	67	B+	29.0	25.5	55	D	22.5	27.5	50	C	30.5	28.5	59	B	2.3	SUPPL(JLT06)101,108				
127	NS3995/0034/2013	E.176129	39.5	43.5	83	A	43.0	40.0	83	A	37.0	39.5	77	A	47.0	41.0	88	A	36.5	44.0	81	A	36.0	41.0	77	A	5.0	PASS				
128	NS4417/0011/2014	E.176130	22.0	21.0	43	D	25.5	31.0	57	B	32.0	29.5	62	B	28.0	29.5	58	B	25.0	35.0	60	B	37.0	35.5	73	B+	2.8	SUPPL(JLT06)101				
129	NP0407/0072/2014	E.176131	19.5	10.5	30	F	30.5	37.5	68	B+	39.0	25.5	65	D	32.0	28.0	60	B	26.0	34.0	60	B	36.5	43.0	80	A	2.8	SUPPL(JLT06)101,107				
130	NS0371/0045/2003	E.176132	0.0	0	0	F	0.0	0	0	F	0.0	0	0	F	0.0	0	0	F	0.0	0	0	F	0	0	0	F	0.0	POSTPONED				
131	NS1343/0067/2014	E.176133	33.0	27.5	61	B	35.5	40.0	76	A	24.0	31.0	55	B	32.0	29.0	61	B	25.0	32.5	58	B	35.5	42.0	78	A	3.6	PASS				
132	NS0356/0123/2013	E.176134	28.5	19.0	48	D	34.5	32.0	67	B+	26.0	33.5	60	B	28.0	18.5	47	D	19.0	17.0	36	D	34.0	36.5	71	B+	2.2	SUPPL(JLT06)101,108,109				
133	NS4334/0040/2014	E.176135	23.5	32.0	56	B	37.5	36.5	74	B+	37.0	32.5	70	B+	35.0	34.0	69	B+	31.5	30.5	62	B	29.5	35.5	65	B+	3.6	PASS				
134	NN0301/0311/2012	E.176136	36.5	34.0	71	B+	39.5	34.5	74	B+	29.0	40.5	70	B+	41.5	29.5	71	B+	34.0	36.0	70	B+	31.5	40.5	72	B+	4.0	PASS				
135	NS3269/0046/2011	E.176137	25.0	22.0	47	D	19.5	33.0	53	C	29.5	28.5	58	B	37.5	32.0	70	B+	16.5	34.0	51	C	33.0	37.0	70	B+	2.7	SUPPL(JLT06)101				
136	NS3736/0037/2014	E.176138	29.0	18.0	47	D	26.5	40.0	67	B+	22.0	33.0	55	B	35.0	27.0	62	B	12.0	38.0	50	C	28.5	37.5	66	B+	2.8	SUPPL(JLT06)101				

Summary Results

PASS: 68 SUPPL: 89 POSTPONED: 6 DISCO/ABSCOND: 0

Module Credit			10				12				7				14				10				10					
Module Code:			JLT06101				JLT06106				JLT06107				JLT06108				JLT06109				JLT06111					
CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS	GR	CA	SE	TS		
137	NS0183/0042/2013	E.176139	28.5	31.0	60	B	27.5	31.5	59	B	37.0	31.0	68	B+	35.5	32.5	68	B+	27.5	36.0	64	B	29.0	40.0	69	B+	3.4	PASS
138	NS0302/0157/2014	E.176140	31.5	39.5	71	B+	40.5	40.0	81	A	40.5	37.5	78	A	36.0	37.5	74	B+	28.0	34.5	63	B	37.5	40.0	78	A	3.7	PASS
139	NS1935/0035/2014	E.176141	32.5	29.0	62	B	29.5	38.0	68	B+	34.5	29.5	64	B	37.0	34.0	71	B+	24.0	32.0	56	B	41.0	32.0	73	B+	3.2	PASS
140	NP0361/0018/2014	E.176142	32.5	33.5	66	B+	33.5	31.5	65	B+	28.0	29.5	58	B	27.0	33.0	60	B	24.0	27.0	51	C	35.5	41.0	77	A	3.1	PASS
141	NS1071/0188/2012	E.176143	29.0	24.0	53	D	37.0	38.5	76	A	31.5	37.5	69	B+	38.5	33.5	72	B+	22.0	38.5	61	B	37.0	38.0	75	A	3.2	SUPPL(JLT06)101
142	NS0345/0095/2013	E.176144	25.5	37.5	63	B	35.5	40.0	76	A	33.5	35.5	69	B+	38.0	36.5	75	A	32.0	31.0	63	B	40.0	41.5	82	A	3.8	PASS
143	NS2727/0020/2013	E.176145	19.0	27.5	47	C	35.0	36.0	71	B+	25.5	31.0	57	B	28.5	27.0	56	B	20.5	28.5	49	C	33.0	29.0	62	B	2.5	PASS
144	NP0577/0239/2012	E.176146	33.0	27.0	60	B	34.0	42.0	76	A	36.0	24.0	60	D	34.5	37.0	72	B+	22.0	38.5	61	B	31.5	41.5	73	B+	3.4	SUPPL(JLT06)107
145	NS1021/0094/2013	E.176147	38.0	41.0	79	A	40.0	39.5	80	A	28.5	31.5	60	B	37.5	37.5	75	A	43.0	41.5	85	A	40.5	45.0	86	A	4.4	PASS
146	NS0144/0097/1999	E.176148	33.5	41.5	75	A	39.5	38.5	78	A	33.0	27.0	60	B	30.0	34.5	65	B+	31.0	35.5	67	B+	30.0	42.0	72	B+	3.9	PASS
147	NS1470/0071/2014	E.176149	30.5	30.5	61	B	41.0	39.0	80	A	37.0	33.0	70	B+	34.5	39.0	74	B+	30.5	27.0	58	B	40.0	41.5	82	A	3.5	PASS
148	NS0557/0059/2012	E.176150	31.0	27.0	58	B	36.5	36.0	73	B+	33.5	33.0	67	B+	32.5	29.5	62	B	25.0	33.5	59	B	37.0	37.0	74	B+	3.0	PASS
149	NP3104/0036/2014	E.176151	25.0		25	F	31.0		31	F	28.0		28	F	36.0		36	D	31.0		31	F	21.5		22	F	0.2	POSTPONED
150	NP1639/0043/2013	E.176152	36.0	30.0	66	B+	31.0	38.0	69	B+	28.5	35.0	64	B	35.5	36.0	72	B+	33.5	41.0	75	A	39.0	44.5	84	A	3.8	PASS
151	NS0182/0052/2013	E.176153	27.0	27.0	54	C	39.0	36.0	75	A	38.5	39.0	78	A	30.5	18.0	49	D	26.0	37.5	64	B	40.5	43.0	84	A	2.7	SUPPL(JLT06)108
152	NS0825/0080/2014	E.176154	26.5	39.5	66	B+	41.0	36.0	77	A	38.5	32.0	71	B+	39.0	27.0	66	B+	24.0	32.0	56	B	35.5	38.5	74	B+	3.5	PASS
153	NS2780/0150/2014	E.176155	32.5	28.0	61	B	38.5	39.5	78	A	39.0	27.5	67	B+	31.0	36.5	68	B+	28.0	38.5	67	B+	40.0	39.0	79	A	3.7	PASS
154	NS0226/0058/2013	E.176156	28.5	34.0	63	B	36.5	34.0	71	B+	34.5	38.5	73	B+	29.0	33.0	62	B	24.0	42.5	67	B+	37.0	36.5	74	B+	3.1	PASS
155	NS0204/0202/2014	E.176157	26.0	32.0	58	B	36.0	43.5	80	A	38.0	30.5	69	B+	35.5	18.5	54	D	32.5	38.0	71	B+	31.5	40.5	72	B+	2.9	SUPPL(JLT06)108
156	NS0302/0174/2014	E.176158	32.5	29.5	62	B	37.0	42.0	79	A	33.5	36.5	70	B+	34.5	38.5	73	B+	31.0	41.5	73	B+	36.0	39.0	75	A	3.7	PASS
157	NS4584/0030/2013	E.176159	32.5	33.0	66	B+	35.5	36.0	72	B+	29.0	20.5	50	D	32.0	27.0	59	B	15.5	43.0	59	B	32.0	40.0	72	B+	3.1	SUPPL(JLT06)107
158	NS3090/0308/2013	E.176160	33.0	38.0	71	B+	37.5	39.5	77	A	40.5	33.0	74	B+	41.0	40.5	82	A	29.0	35.5	65	B+	32.5	41.0	74	B+	3.9	PASS
159	NS1697/0201/2013	E.176161	26.0	29.5	56	B	28.5	41.0	70	B+	30.5	34.0	65	B+	26.0	27.5	54	C	17.0	32.5	50	C	32.0	40.0	72	B+	2.6	PASS
160	NS1093/0086/2013	E.176162	32.5	29.5	62	B	34.0	33.0	67	B+	34.5	35.0	70	B+	36.5	40.5	77	A	28.5	30.0	59	B	18.0	46.0	64	B	3.3	PASS
161	NS0723/0024/2014	E.176163	28.5	25.5	54	D	33.5	35.0	69	B+	37.5	31.5	69	B+	37.0	34.0	71	B+	20.0	42.5	63	B	30.5	40.0	71	B+	2.9	SUPPL(JLT06)101
162	NS1053/0098/2008	E.176164	36.0	38.0	74	B+	39.0	38.5	78	A	40.0	36.0	76	A	41.5	37.5	79	A	39.0	38.0	77	A	40.0	41.5	82	A	4.2	PASS
163	NS4558/0023/2014	E.176165	36.5	35.0	72	B+	43.5	45.5	89	A	40.5	42.5	83	A	36.5	45.0	82	A	36.0	37.5	74	B+	30.5	43.0	74	B+	4.5	PASS
SUM MAR Y PER MO DUL	PASS:		101				156				117				140				146				155					
	SUPPL:		56				1				40				17				9				2					
	POSTPONED:		6				6				6				6				7				6					
	TOTAL:		163				163				163				163				162				163					